



LS-4

Mini-format 2-in / 8-out multi-purpose line selector



S O U N D
B E T T E R
B E T T E R
S O U N D



Small format, big connectivity.

The LS-4 is a small-footprint line selector allowing you to connect a stereo source and send it to up to three other devices. The same source signal can even be sent to all four destinations simultaneously, or any combination thereof. It's a fantastic, inexpensive option for passive monitor switching, headphone distribution, parallel effects routing, and more. Its 100% passive design imparts zero tone color on your signal. A flexible ground lift is available internally per channel.

Multi-purpose toolbox

While small and simple, the LS-4 has limitless practical and creative potential, including but not limited to:

- ▶ **Passive monitor switching with subwoofer toggle:** Connect three pairs of studio monitors to Outputs A, B, and C, and connect your subwoofer to Output D.

- ▶ **Headphone distribution:** Connect the headphone Output of your interface to the LS-4's Input, and connect all LS-4 Outputs to your headphone amps.

- ▶ **Audition effects chains:** Run a dry signal into the LS-4 Inputs, and connect different effects processors to Outputs A-D. Connect your processor Outputs to your audio interface Inputs – press buttons A-D to audition different effects processors on your signal.

- ▶ **Parallel effects routing:** Connect your hardware as described above – this configuration also allows you to record all four parallel processed signals in your DAW simultaneously!

We can't wait to see what other uses you think up for the LS-4!

Built Black Lion tough

We didn't let its compact size affect the build quality. Like all BLA products, the LS-4 is built road-tough: a steel enclosure with an anodized black aluminum faceplate. High-quality ¼" connections ensure maximum conductivity and secure connections.

Simplified, trust-worthy switching.

Small format, big connectivity.


The LS-4 is a small-footprint line selector allowing you to connect a stereo source and send it to up to three other devices. The same source signal can even be sent to all four destinations simultaneously, or any combination thereof. It's a fantastic, inexpensive option for passive monitor switching, headphone distribution, parallel effects routing, and more. Its 100% passive design imparts zero tone color on your signal. A flexible ground lift is available internally per channel.

Multi-purpose toolbox

While small and simple, the LS-4 has limitless practical and creative potential, including but not limited to:

- ▶ **Passive monitor switching with subwoofer toggle:** Connect three pairs of studio monitors to Outputs A, B, and C, and connect your subwoofer to Output D.
- ▶ **Headphone distribution:** Connect the headphone Output of your interface to the LS-4's Input, and connect all LS-4 Outputs to your headphone amps.
- ▶ **Audition effects chains:** Run a dry signal into the LS-4 Inputs, and connect different effects processors to Outputs A-D. Connect your processor Outputs to your audio interface Inputs – press buttons A-D to audition different effects processors on your signal.
- ▶ **Parallel effects routing:** Connect your hardware as described above – this configuration also allows you to record all four parallel processed signals in your DAW simultaneously!

Visit us at www.blacklionaudio.com to learn more about the LS-4 and its robust build quality.



A



B



C



D



4 Channel Line Selector

LS-4



S O U N D
B E T T E R
B E T T E R
S O U N D